

Work Order ID 62529

October 4, 2010 9:12:07 AM

PRELIMINARY ISSUE

Page 1

Item ID: D4176-1

Accept

Revision ID: PRELIM

Item Name: 429 Clamp, Top

Setup Start

Stop

Start Date: 10/04/10 Start Qty: 1.00

Required Date: 10/04/10 Req'd Qty: 1.00

Cust Item ID:

Customer:

Reference:

Approvals: Process Plan

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D4176

PAI

100

0.00



Waterjet

FLOW CNC Waterjet

304.080

Memo

1-Cut as per Dwg

Dwg Rev: PAI

Prog Rev: PAI

2-Deburr if necessary

0.00

110

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Memo

Quality Control

0.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY
02/10/10/04

FB 10-10-4

FB 10-10-4

(3)

Work Order ID 62529

October 4, 2010 9:12:07 AM



Page 2

Item ID: D4176-1
Revision ID: PRELIM
Item Name: 429 Clamp, Top

Accept



Setup Start



Stop



Start Date: 10/04/10 Start Qty: 1.00
Required Date: 10/04/10 Req'd Qty: 1.00



Cust Item ID:

Customer:

Reference:

Approvals: Process Plan: Date: QC: Date:

Tooling: Date: SPC (Y/N): Date:

Run Start



Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

120



QC

Quality Control

QC8- Inspect parts - second check

Memo

0.00 - inspected to PA1

0.00

Day only
8/10/10/04 (x3)

130



Brake NC

Brake NC

Form as per dwg

Memo

0.00

0.00

SB 10/10/04

(3)

140



QC

Quality Control

QC5- Inspect part completeness to step on W/O

Memo

0.00 - measured to PA1 Day

0.00

only
Didn't test fit on.
8/10/10/04 (x3)

Work Order ID 62529

October 4, 2010 9:12:07 AM



Item ID: D4176-1
Revision ID: PRELIM
Item Name: 429 Clamp, Top

Accept



Setup Start



Stop



Start Date: 10/04/10 Start Qty: 1.00
Required Date: 10/04/10 Req'd Qty: 1.00



Cust Item ID:
Customer:

Reference:

Approvals: Process Plan:
QC:

Date:
Date:

Tooling:
SPC (Y/N):

Date:
Date:

Run Start
Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

150

Identify as per dwg & ~~Check~~ Location: THE PND.

0.00

DL 10/10/04



Packaging

Memo

0.00

Packaging

160

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10.10.07
10.10.07

*USED FOR TEST
FIT + STRUCTURAL TESTER
PARTS ARE IN ENG LAB.*

POSITIVE RECALL

EFFECTIVE

10.10.04

AUTH

U

RELEASED

DATE

U

*MF
10-11-15*

*RD1301
NOV*

Picklist Print

October 4, 2010 9:12:06 AM

Page 1

Work Order ID: 62529

Parent Item: D4176-1

Parent Item Name: 429 Clamp, Top



Start Date: 10/04/10

Required Date: 10/04/10

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 10.09.29 new issue DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S14GA		Purchased	No			100	sf	105.7108	0.0403	0.042421			



304SS sheet .080



1810-10-4

Location

Loc Qty

Loc Code

MAT20


105.7108

113295


105.7108

113295

3



D4176-1 429 CLAMP, TOP



D4176-3 429 CLAMP, BOTTOM

PRELIMINARY ISSUE


10.09.27

*wlo
62529*



NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH, 14 GAUGE (0.078 THICK)
PER AMS 5513 (304) OR 5524 (316) OR ASTM A240 OR ASME SA240
REF. DART SPEC. M304S14GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4176-1" PER QSI 044 6.1
- 7) WEIGHT:
 - D4176-1 = 0.12 lbs
 - D4176-3 = 0.08 lbs

PA1	NEW ISSUE	MB	10.09.27
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. PA1
MFG. APPR.		D4176	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		429 CLAMP	NTS
DATE	10.09.27	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D4176-1F 429 TOP CLAMP FLAT PATTERN




D4176-1 429 CLAMP, TOP
(MAKE FROM D4176-1F)



PRELIMINARY ISSUE

10.09.27

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D4176	REV. PAT
MFG. APPR.			SHEET 2 OF 3
APPROVED		TITLE 429 CLAMP	SCALE
DE APPR.			NTS
DATE	10.09.27	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D4176-3F 429 BOTTOM CLAMP FLAT PATTERN



D4176-3 429 CLAMP, BOTTOM
(MAKE FROM D4176-3F)

PRELIMINARY ISSUE

10.09.27

62529

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. PA1
MFG. APPR.		D4176	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		429 CLAMP	NTS
DATE	10.09.27	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

Receiving Report

Date: 7/4/27

Batch No: 07113295

Supplier: MAGNA

Dart P/O: 10809

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection ☒ N/A ☐
 Work Order 021460 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 7/11/30
 Date
 Received/Costing [Signature]
 Initial

Location _____

Page 1 of 1

All amounts are calculated in domestic currency.

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name		VC-MAG002	Magna Stainless								
PO10809	1		M304S14GA	sf	11/24/2009	11/30/2009	160.0000	\$7.50	0.0000	0	\$1,200.00
CAD	No		304SS sheet .080 113295	sf	160.0000	Stores		\$1,200.00	0.0000	0	
	2		M304S16GA	sf	11/24/2009	11/30/2009	320.0000	\$5.31	0.0000	0	\$1,700.00
	No		304/316 Sheet .063 113295	sf	320.0000	Stores		\$1,700.00	0.0000	0	
	3		M304R1.750	f	11/24/2009	11/30/2009	12.1000	\$20.58	0.0000	0	\$249.05
	No		304 ROUND BAR 1.750 113295	f	12.0000	Stores		\$249.05	0.0000	0	
	4		M303R0.750	f	11/24/2009	11/30/2009	12.1000	\$3.83	0.0000	0	\$46.38
	No		303 Round Bar 0.750 113295	f	12.0000	Stores		\$46.38	0.0000	0	
Total Received Quantity:										504.2000	
Total Qty to Inspect (PO U/M):										0.0000	
Total Reject Quantity:										0.0000	
Total Receipt Value:										\$3,195.44	
Total Balance Due Quantity:										0.0000	

MAGNA

Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105



PACKING LIST

Page 1 of 1

I020078

SOLD TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON
K6A 1K7
Contact: CHANTAL

HAWKESBURY ON
K6A 1K7
Ship Terms: PREPAID

MTR:Y

SPECIAL INSTRUCTIONS

Currency	Sales Person	Customer Phone	Customer Fax	Customer PO	
CANADIAN DOLLARS	ERYCK BLAIS	(613) 632-5200	(613) 632-1053	P010809	
Sales Order	Terms	Ship Via	Date Ordered	Date Required	Date Shipped
W021806	NET 30 DAYS	NIR:R-557065-1	11/20/09	11/27/09	11/27/09

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
1		PC	STAINLESS ROUNDS SRB 304 1-3/4" x R/L 12'10" 100 LB / 1 PC	L029520	79354	1
1		PC	SRB 303 3/4" x R/L 12'1" 20 LB / 1 PC	L031096	423312	1
5		PC	STAINLESS SHEET SSH 304 2B 14ga x 48" x 96" 525 LB / 5 PC	C030389	829393	5
10		PC	MUST USE HT # 829393 SSH 304 2B 16ga x 48" x 96" 840 LB / 10 PC	A030388	829394	10
Bundles: 1			Skids: 1			Approx Weight: 1,485 LB

Received by: _____ Date: _____ Signature: _____

PO05349 - 829393

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6168-3 908

CUST. ORD. NO. & DATE		CUST. CODE		ACCEPTING MILL		SHIPPER NO.		PRODUCT CODE		MILL ORDER NUMBER		DATE SHIPPED	
05349		06/05/09 574738		VANDERGRIFF, PA.		427038		13020102060000		30-069-202		08/06/09	
FORMS DISTRIBUTION		REPEAT ORDER		DO RATE		GOVT CONTRACT		MATL		SHIPPING LOCATION		INVOICE	
SOLD TO		94045-0		28		7219.14.0000		1121 VANDERGRIFF		PA		668451	
MAGNA STAINLESS		PRIME		SEC.		DSO		SHIP TO					
5775 KIERAN ST.		DSO		DSO		COILEX		1450 GRAHAM BELL					
QUEBEC CANADA H4S 0A3		20				QUEBEC ZIP CODE: J4B 6H5		BOUCHERVILLE		CN			
SAINT-LAURENT													

8/9/11/30

GRADE AND SPECIFICATIONS
ALLEGHENY STAINLESS STEEL TYPE 304 SHEET C R COILS ANNEALED 2B FIN 3 EDGE (ASTM-A-240-09A) (ASTM-A-370-09)

ITEM	PCS	DIMENSIONS W/G/L	HEAT #	COIL #	TEST #	GROSS	TARE	NET	THEO	TAG #/	CD	SKID #
001	1	48./075/2021.	829393	07109N172	8763075	21130	50	21080		651551		
		C CUST IDENTITY 304B075X48										
		1 SKID				21130	50	21080				

ORDER REMARKS: EXW - EXCEPT VAT AND OTHER APPLICABLE LOCAL TAXES WHICH ARE THE RESPONSIBILITY OF THE BUYER

TYPE HEAT/TEST	--C---	--MN--	--P---	--S---	--SI--	--CR--	--NI--	--N---
HEAT 829393	.05	.97	.033	.0005	.44	18.2	8.1	.07

ITEM TEST NO	YIELD	TENSILE	% ELONG	% R/A	HARDNESS	BEND	GRAIN	HARDENABILITY
001 8763075	PSI *	PSI	IN 2"				SIZE	
	T 48000.	92500.	55.	NR	83.HRBW	NR	NR	NR
	* Y.S. BY 0.2% OFFSET METHOD							

NR = DATA NOT REQUIRED
GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

PAGE 01 - CONTINUED ON PAGE 02

08/06/09 11:37:26

CONSIGNEE - Please Note - This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

Material Safety Data Sheets for this product have been supplied to your Purchasing Department. For an additional copy phone 724-226-6577. CAUTION: Processing that makes fumes, dust, or solutions may cause lung disease. See Material Safety Data Sheets for further information.

WARNING
Les fiches d'information-sécurité de ce produit ont été fournies à votre département chargé des achats. Pour obtenir des exemplaires supplémentaires veuillez téléphoner au numéro suivant 724-226-6577. Attention: les traitements entraînant la production de vapeurs, poussières, ou solutions peuvent être cause de maladies pulmonaires. Pour plus de renseignements se référer aux fiches d'information-sécurité.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in Allegheny Ludlum's Order Acknowledgement.

Tracy McFarland
Director, Corporate Quality Assurance

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6168-3 908

CUST. ORD. NO. & DATE		CUST. CODE		ACCEPTING MILL		SHIPPER NO.		PRODUCT CODE		MILL ORDER NUMBER		DATE SHIPPED	
05349		06/05/09		574738		VANDERGRIFF, PA.		427038		13020102060000		30-069-202	
FORMS DISTRIBUTION		REPEAT ORDER		DO RATE		PRI-ORITY		GOVT CONTRACT		MATERIAL		SHIPPING LOCATION	
SOLD TO		94045-0		28		7219.14.0000		1121		VANDERGRIFF		PA	
MAGNA STAINLESS		PRIME		SEC.		DSO		DSO		SHIP TO		668451	
5775 KIERAN ST.		DSO		DSO		COILEX		1450 GRAHAM BELL		QUEBEC		ZIP CODE: J4B 6H5	
QUEBEC CANADA H4S 0A3		20				BOUCHERVILLE		CN					
SAINT-LAURENT													

GRADE AND SPECIFICATIONS CARRIER - CUSTOMER TRUCK
ALLEGHENY STAINLESS STEEL TYPE 304 SHEET C R COILS ANNEALED 2B FIN 3 EDGE (ASTM-A-240-09A) (ASTM-A-370-09) (ASTM-A-480-09)

THIS CERTIFICATE OF TEST SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL OF THE COMPANY. THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ALC QUALITY MANUAL REVISION 17 DATED 05/12/2008. ALC HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001. DIN EN 10204:2005 - 3.1. ALLEGHENY LUDLUM IS APPROVED AS A MANUFACTURER ACCORDING TO AD-MERK BLATT WO/TRD100 AND THE PRESSURE EQUIPMENT DIRECTIVE PED 97/23/EC. TESTING WAS PERFORMED AT ALC NADCAP AND ISO/IEC 17025 APPROVED LABORATORIES LOCATED AT NATRONA HEIGHTS, BRACKENRIDGE, LATROBE, AND MIDLAND, PA FACILITIES OR A NADCAP AND ISO/IEC 17025 ACCREDITED LABORATORY.

ALLEGHENY LUDLUM PERFORMS CHEMICAL ANALYSIS BY THE FOLLOWING TECHNIQUES:
C,S BY COMBUSTION/INFRARED
N,O,H BY INERT FUSION/THERMAL CONDUCTIVITY
MN,P,SI,CR,NI,MO,CU,CB,CO,V BY WDXRF
B BY OES
AL AND TI (>=0.10%) BY WDXRF, OTHERWISE BY OES
PB,BI,AG BY GFAA

<<<<<<<< FOR ACCESS TO ONLINE CERTIFICATES OF TEST >>>>>>>>
<<<<<<<< REGISTER AT WWW.ALCEXTRA.COM >>>>>>>>

PAGE 02 - FINAL PAGE.

08/06/09 11:37:26

CONSIGNEE - Please Note - This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

Material Safety Data Sheets for this product have been supplied to your Purchasing Department. For an additional copy phone 724-226-6577. CAUTION: Processing that makes fumes, dust, or solutions may cause lung disease. See Material Safety Data Sheets for further information.

WARNING
Les fiches d'information-sécurité de ce produit ont été fournies à votre département chargé des achats. Pour obtenir des exemplaires supplémentaires veuillez téléphoner au numéro suivant 724-226-6577. Attention: les traitements entraînant la production de vapeurs, poussières, ou solutions peuvent être cause de maladies pulmonaires. Pour plus de renseignements se référer aux fiches d'information-sécurité.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in Allegheny Ludlum's Order Acknowledgement.

Tracy McFarland
Director, Corporate Quality Assurance

PO05349 - 829394

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 6168-3 908

CUST. ORD. NO. & DATE 05349 06/05/09			CUST. CODE 574738		ACCEPTING MILL VANDERGRIFF, PA.	SHIPPER NO. 427038	PRODUCT CODE 13020102060000	MILL ORDER NUMBER 30-069-187	DATE SHIPPED 08/06/09
FORMS DISTRIBUTION SOLD TO 1 SHIP TO SPEC			REPEAT ORDER 94045-0	DO RATE 28	PR. ORITY 7219.14.0000	GOVT CONTRACT	MATL. 1121 VANDERGRIFF	SHIPPING LOCATION PA	INVOICE 668450
MAGNA STAINLESS 5775 KIERAN ST. QUEBEC CANADA H4S 0A3 SAINT-LAURENT			PRIME DSO	SEC. DSO	COILEX 1450 GRAHAM BELL QUEBEC ZIP CODE: J4B 6H5 BOUCHERVILLE		SHIP TO CN		

08/14/30

GRADE AND SPECIFICATIONS
ALLEGHENY STAINLESS STEEL TYPE 304 SHEET C R COILS ANNEALED 2B FIN 3 EDGE (ASTM-A-480-09) (ASTM-A-240-09A) (ASTM-A-370-09)

ITEM	PCS	DIMENSIONS	W/G/L	HEAT #	COIL #	TEST #	GROSS	TARE	NET	THEO	TAG #/	CD	SKID #
001	1	48.	.060/2149.	829394	07099N793	8763049	20670	50	20620		651358		
		C CUST IDENTITY	304B060X48										
		1	SKID				20670	50	20620				

ORDER REMARKS: EXW - EXCEPT VAT AND OTHER APPLICABLE LOCAL TAXES WHICH ARE THE RESPONSIBILITY OF THE BUYER

TYPE HEAT/TEST HEAT 829394	--C----	--MN--	--P----	--S----	--SI--	--CR--	--NI--	--N----
	.06	.95	.034	.0003	.47	18.2	8.1	.06

ITEM TEST NO	YIELD PSI *	TENSILE PSI	% ELONG IN 2"	% R/A	HARDNESS 83.HRBW	BEND NR	GRAIN SIZE NR	HARDENABILITY NR
001 8763049	T 45500.	94000.	58.	NR	83.HRBW	NR	NR	NR
	* Y.S. BY 0.2% OFFSET METHOD							

NR = DATA NOT REQUIRED
GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

PAGE 01 - CONTINUED ON PAGE 02

08/06/09 11:37:26

CONSIGNEE: Please Note - This consignment was turned over to carrier in first class condition, being correctly loaded, at which time out responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

Material Safety Data Sheets for this product have been supplied to your Purchasing Department. For an additional copy phone 724-226-6577. CAUTION: Processing that makes fumes, dust, or solutions may cause lung disease. See Material Safety Data Sheets for further information.

WARNING

Les fiches d'information-sécurité de ce produit ont été fournies à votre département chargé des achats. Pour obtenir des exemplaires supplémentaires veuillez téléphoner au numéro suivant 724-226-6577. Attention: les traitements entraînant la production de vapeurs, poussières, ou solutions peuvent être cause de maladies pulmonaires. Pour plus de renseignements se référer aux fiches d'information-sécurité.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in Allegheny Ludlum's Order Acknowledgement.

Tracy McFarland
Director, Corporate Quality Assurance

NOTICE OF SHIPMENT/
PACKING LIST



CERTIFICATE OF TEST

AL 8168-3 908

CUST. ORD. NO. & DATE		CUST. CODE		ACCEPTING MILL		SHIPPER NO.		PRODUCT CODE		MILL ORDER NUMBER		DATE SHIPPED	
05349		06/05/09		574738		VANDERGRIFF, PA.		427038		13020102060000		30-069-187	
FORMS DISTRIBUTION		REPEAT ORDER		DO RATE		PRL ORITY		GOVT CONTRACT		MATERIAL		SHIPPING LOCATION	
SOLD TO		PRIME		SEC.		SHIP TO				PA		668450	
MAGNA STAINLESS		DSO		DSO		COILEX		1450 GRAHAM BELL		QUEBEC		ZIP CODE: J4B 6H5	
5775 KIERAN ST.		20				BOUCHERVILLE		CN					
QUEBEC CANADA H4S 0A3													
SAINT-LAURENT													

GRADE AND SPECIFICATIONS CARRIER - CUSTOMER TRUCK
ALLEGHENY STAINLESS STEEL TYPE 304 SHEET C R COILS ANNEALED 2B FIN 3 EDGE (ASTM-A-240-09A) (ASTM-A-370-09) (ASTM-A-480-09)

THIS CERTIFICATE OF TEST SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL OF THE COMPANY. THE RECORDING OF FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ALC QUALITY MANUAL REVISION 17 DATED 05/12/2008. ALC HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE ISO-9001. DIN EN 10204:2005 - 3.1. ALLEGHENY LUDLUM IS APPROVED AS A MANUFACTURER ACCORDING TO AD-MERK BLATT WO/TRD100 AND THE PRESSURE EQUIPMENT DIRECTIVE PED 97/23/EC. TESTING WAS PERFORMED AT ALC NADCAP AND ISO/IEC 17025 APPROVED LABORATORIES LOCATED AT NATRONA HEIGHTS, BRACKENRIDGE, LATROBE, AND MIDLAND, PA FACILITIES OR A NADCAP AND ISO/IEC 17025 ACCREDITED LABORATORY.

ALLEGHENY LUDLUM PERFORMS CHEMICAL ANALYSIS BY THE FOLLOWING TECHNIQUES:
C,S BY COMBUSTION/INFRARED
N,O,H BY INERT FUSION/THERMAL CONDUCTIVITY
MN,P,SI,CR,NI,MO,CU,CB,CO,V BY WDXRF
B BY OES
AL AND TI (>=0.10%) BY WDXRF, OTHERWISE BY OES
PB,BI,AG BY GFAA

<<<<<<<< FOR ACCESS TO ONLINE CERTIFICATES OF TEST >>>>>>>>
<<<<<<<< REGISTER AT WWW.ALCEXTRA.COM >>>>>>>>

PAGE 02 - FINAL PAGE.

08/06/09 11:37:26

CONSIGNEE - Please Note - This consignment was turned over to carrier in first class condition, being correctly loaded, at which time our responsibility for loss or damage in shipment ceased. For your protection please examine shipment as it arrives. If any shortage or damage is discovered, have a full description made by transportation agent on waybill before signing.

Material Safety Data Sheets for this product have been supplied to your Purchasing Department. For an additional copy phone 724-226-6577. CAUTION: Processing that makes fumes, dust or solutions may cause lung disease. See Material Safety Data Sheets for further information.

WARNING

Les fiches d'information-sécurité de ce produit ont été fournies à votre département chargé des achats. Pour obtenir des exemplaires supplémentaires veuillez téléphoner au numéro suivant 724-226-6577. Attention: les traitements entraînant la production de vapeurs, poussières, ou solutions peuvent être cause de maladies pulmonaires. Pour plus de renseignements se référer aux fiches d'information-sécurité.

The above is a true copy of data on file. The material and test results conform to the sales contract and specification(s) as set forth in Allegheny Ludlum's Order Acknowledgement.

Tracy McFarland -
Director, Corporate Quality Assurance



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO10809**

Purchase Order Date 11/20/09

PO Print Date 11/20/09

Page Number 1 of 2

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

FAKED
C&G 7/11/09

Contact Name
Vendor Phone 800 363 6646
Vendor Fax 514 339 1105
Vendor Account Nbr

Buyer Chantal Lavoie
Requisition Nbr
Tax Resale Nbr 10127-2607
Terms Net 30
Currency CAD
FOB

Ship To : DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
Vendor Part Number							
1	M304S14GA	304SS sheet .080	11/24/09 Yes	✓ 160.00 sf	Yours ppd	\$7.5000	\$1,200.00
Special Inst: MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH ASPER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240							
2	M304S16GA	304/316 Sheet .063	11/24/09 Yes	✓ 320.00 sf	Yours ppd	\$5.3125	\$1,700.00
Special Inst: AS ABOVE							
3	M304R1.750	304 ROUND BAR 1.750	11/24/09 Yes	12.00 f	Yours ppd ✓ M2 1210 Cory 1/09	\$20.5830	\$247.00
Special Inst: MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 (NOTE: 303 NOT ACCEPTABLE)							

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 11/20/09



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO10809**

Purchase Order Date 11/20/09

PO Print Date 11/20/09

Page Number 2 of 2

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

800 363 6646

514 339 1105

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

4

M303R0.750

303 Round Bar 0.750

11/24/09

Yes

✓ 12.00 Yours ppd

\$3.8333

\$46.00

f N/C 10-10 / 08/11/27

Special Inst:

MATERIAL: AISI 303 ROUND BAR
(NOTE: AISI 304/316 NOT ACCEPTABLE)

PO Total:


\$3,193.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY



Change Nbr: 1

Change Date: 11/20/09

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable



D4176-1F 429 TOP CLAMP FLAT PATTERN



D4176-1 429 CLAMP, TOP
(MAKE FROM D4176-1F)

RELEASED
2010-10-03

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4176	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		429 CLAMP	NTS
DATE	10.09.27	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	